



# tp-link

## CARACTERÍSTICAS DE HARDWARE

Interface	4 10/100Mbps LAN PORTS 1 10/100Mbps WAN PORT
Botón	WPS/RESET Button
Fuente de Alimentación Externa	9VDC / 0.6A
Estándares Inalámbricos	IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
Dimensiones (W X D X H)	7.2 x 5.0 x 1.4in.(182 x 128 x 35 mm)
Antenas	2 Antennas

## CARACTERÍSTICAS INALÁMBRICAS

Frecuencia	2.4-2.4835GHz
Tasa de Señal	11n: Up to 300Mbps(dynamic) 11g: Up to 54Mbps(dynamic) 11b: Up to 11Mbps(dynamic)
Sensibilidad de Recepción	270M: -68dBm@10% PER 130M: -68dBm@10% PER 108M: -68dBm@10% PER

## CARACTERÍSTICAS INALÁMBRICAS

	<p>54M: -68dBm@10% PER          11M: -85dBm@8% PER          6M: -88dBm@10% PER          1M: -90dBm@8% PER</p>
Potencia de Transmision	<p>CE:          &lt;20dBm          FCC:          &lt;30dBm</p>
Funciones Inalámbricas	<p>Enable/Disable Wireless Radio, WDS Bridge, WMM, Wireless Statistics</p>
Seguridad Inalámbrica	<p>64/128-bit WEP, WPA / WPA2,WPA-PSK / WPA2-PSK</p>

## CARACTERÍSTICAS DE SOFTWARE

Quality of Service	<p>WMM, Bandwidth Control</p>
WAN Type	<p>Dynamic IP/Static IP/PPPoE/          PPTP/L2TP</p>
Management	<p>Access Control          Local Management          Remote Management</p>
DHCP	<p>Server, Client, DHCP Client List,          Address Reservation</p>
Port Forwarding	<p>Virtual Server,Port Triggering, UPnP, DMZ</p>
Dynamic DNS	<p>DynDns, Comexe, NO-IP</p>
VPN Pass-Through	<p>PPTP, L2TP, IPSec (ESP Head)</p>
Access Control	<p>Parental Control, Local Management Control,          Host List, Access Schedule, Rule Management</p>
Firewall Security	<p>DoS, SPI Firewall          IP Address Filter/MAC Address Filter/Domain Filter          IP and MAC Address Binding</p>
Protocols	<p>Support IPv4 and IPv6</p>

## CARACTERÍSTICAS DE SOFTWARE

Guest  
Network

2.4GHz Guest Network x1

## OTROS

Certification

CE, RoHS

Contenido del paquete

Wireless N Router TL-  
WR840N  
Power supply unit  
Resource CD  
Ethernet Cable  
Quick Installation Guide

System Requirements

Windows 2000/XP/Vista™,  
Windows 7, Windows 8,  
Windows 8.1, Windows 10 or  
Mac OS or Linux-based  
operating system

Environment

Operating Temperature:  
0°C~40°C (32°F~104°F)  
Storage Temperature: -  
40°C~70°C (-40°F~158°F)  
Operating Humidity:  
10%~90% non-condensing  
Storage Humidity: 5%~90%  
non-condensing